

511,499

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
9 October 2003 (09.10.2003)

PCT

(10) International Publication Number
WO 03/082765 A1

(51) International Patent Classification⁷: **C04B 28/14,**
24/26

73772 (US). **WHITESIDE, Eldon, L.** [US/US]; 5539 Quincy Street, Hinsdale, IL 60521 (US). **BEDWELL, William, K.** [US/US]; RR1, Box 26, Okeene, OK 73763 (US). **KALIGIAN, Raymond, A., II** [US/US]; 2020 Wellington Ct., Geneva, IL 60134 (US).

(21) International Application Number: PCT/US03/09397

(74) Agent: **MICKELSON, Carole, A.**; Greer, Burns & Crain, Ltd., 300 South Wacker Drive, Suite 2500, Chicago, IL 60606 (US).

(22) International Filing Date: 27 March 2003 (27.03.2003)

(81) Designated States (national): CA, JP, MX, US.

(25) Filing Language: English

(84) Designated States (regional): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

(26) Publication Language: English

Published:

— with international search report

(30) Priority Data:

60/367,920 27 March 2002 (27.03.2002) US

(71) Applicant (for all designated States except US): UNITED STATES GYPSUM COMPANY [US/US]; 125 S. Franklin Street, Chicago, IL 60606 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(72) Inventors; and

(75) Inventors/Applicants (for US only): **LETTKEMAN, Dennis, Mark** [US/US]; 1316 N. Noble, Watonga, OK



WO 03/082765 A1

(54) Title: HIGH MOLECULAR WEIGHT ADDITIVES FOR CALCINED GYPSUM AND CEMENTITIOUS COMPOSITIONS

(57) Abstract: A mixture is used in conjunction with water is used for preparing a slurry that hydrates to form an exterior gypsum cement. The mixture includes 30-70 % by weight hydraulic cement, 30-70 % by weight calcined gypsum and 0.05-2.5 % polycarboxylate. When the mixture is added to water less than 40 weight % based on the weight of the mixture, a slurry is formed that expands very little while it cures.